## REMARKS

The Notice states that the nucleotide and/or amino acid sequence disclosure in this application does not comply with the requirements under 37 C.F.R. § 1.822 and/or 1.823 because the response in the Organism (<213>) field is invalid.

Applicants have amended the specification to insert a substitute paper copy of the Sequence Listing. Applicants have amended the Sequence Listing by (1) changing the Organism (<213>) field to "Artificial Sequence" and (2) adding Feature (<220>) and Other Information (<223>) fields indicating that the artificial amino acid sequence of SEQ ID NO: 1 is used in compositions for introducing nucleic acids into cells. Applicants have amended specification page 27 to insert reference to SEQ ID NO: 1. None of these amendments includes new matter.

Applicants also hereby submit a computer-readable form copy of the Sequence Listing in accordance with the requirements of 37 C.F.R. §§ 1.821(e) and 1.824 and the required statements under 37 C.F.R. §§ 1.821(f) and 1.821(g).

The Director is hereby authorized to charge any additional fees that may be due, or credit any overpayment of same, to Deposit Account No. 06-1075. A duplicate copy of this response is enclosed.

Respectfully submitted,

James F. Haley (Reg. No. 27,794)

Elinor K. Shin (Reg. No. 43,117) Attorneys for Applicants

Grant Kalinowski (Reg. No. 48,314)

Agent for Applicants c/o FISH & NEAVE

1251 Avenue of the Americas New York, New York 10020-1104

Tel.: (212) 596-9000 Fax: (212) 596-9090

## Copy of replacement paragraph marked up pursuant to 37 C.F.R. § 1.121(b)(iii) to show changes made

ii) Peptide INF7 (sequence GLFEAIEGFIENGWEGMIDGWYGC; SEQ ID NO: 1) was synthesized according to the same procedure on 500 mg chlorotrityl resin (0.5 mmol/g), cleaved from the resin as described for YE5C and precipitated with diethyl ether. The raw product was dried in vacuo. Aliquots of 20 mg each were dissolved in 500 μl 1 M triethylammonium hydrogencarbonate buffer pH 8 and purified by gel filtration (Sephadex G-10 from Pharmacia filled into a HR 10/30 column from Pharmacia. Flow rate 1 ml/min. Eluent: 20 mM HEPES pH 7.3 / 150 mM NaCl or 100 mM TEAB or 100 mM ammonium hydrogencarbonate). Extinction coefficients: 278 nm 12600; 279 nm 12665; 280 nm 12660 M⁻¹cm⁻¹.